

ASL-TR-0071

00



AD

Reports Control Symbol OSD 1366

AN EMPIRICAL MODEL OF THE VERTICAL STRUCTURE OF GERMAN FOGS

NOVEMBER 1980

By
LOUIS D. DUNCAN
JAMES D. LINDBERG
RADON B. LOVELAND



US Army Electronics Research and Development Command **ATMOSPHERIC SCIENCES LABORATORY** White Sands Missile Range, NM 88002

Approved for pulses release:
Distribution tractioned

81 2

09

145

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMEN		BEFORE COMPLETING FORM
ASL-TR-0071		O. 3. RECIPIENT'S CATALOG NUMBER
	AD-4094 81	
. TITLE (and Subtitle)	· ·	5. TYPE OF REPORT & PERIOD COVERE
AN EMPIRICAL MODEL OF THE	VERTICAL STRUCTURE	RaD Final Reparts
OF GERMAN FOGS.		6. PERFORMING ORG. REPORT NUMBER
· AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(a)
Louis D./Duncan, James D./I	Lindberg. and	
Radon B./Loveland	,	1 (19)74 /
PERFORMING ORGANIZATION NAME AND	ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
US Army Atmospheric Science	es Laboratory	AREA & WORK UNIT NUMBERS
White Sands Missile Range,		DA Task 1L162111AH71 /EO
1. CONTROLLING OFFICE NAME AND ADD	DECC.	12. REPORT DATE
US Army Electronics Research	ch /	/ November 1980 /
and Development Command	V.	13. NUMBER OF PAGES
Adelphi, MD 20783	Still different from Controlling Office	17) 15. SECURITY CLASS. (of this report)
MONITORING AGENCY NAME & AUDRES	of 1. The same from Commoning Office	UNCLASSIFIED
		154. DECLASSIFICATION/DOWNGRADING SCHEDULE
7. DISTRIBUTION STATEMENT (of the abetr	The second in Divid 29, it different	
18. SUPPLEMENTARY NOTES		
9. KEY WORDS (Continue on reverse side if n		er)
German fogs Fog density	Vertical variation Liquid water content	
Empirical model		
16. ABSTRACT (Continue on reverse side N re	scoonery and identify by block number	PP)
distributions were analyze structure of German fogs. profiles collected at Gr	d to develop an empi The data base consist rafenwöhr and Meppen	
		id water content calculation: lop single algorithms. Table
		tputs with the original data

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)	
ł	
]
	j
	Ì
	1
	i i

CONTENTS

INTRODUCTION	5
DATA BASE	5
DISCUSSION	6
DEVELOPMENT OF THE ALGORITHM	7
COMPARISON OF MEASURED AND MODELED FOG DENSITY	8
CONCLUSIONS AND RECOMMENDATIONS	R
FIGURES	9
TABLES	13



INTRODUCTION

United States and North Atlantic Treaty Organization (NATO) military forces are increasingly relying on new sophisticated weapons and surveillance systems which incorporate electro-optical (E-O) sensors. Since many of these systems can be strongly influenced by the atmospheric environment, these atmospheric conditions must be understood and models must be developed which permit assessment through simulation of the actual performance.

In the past few years numerous data have been gathered on the optical properties and microphysical characteristics of fog at various locations such as Grafenwöhr, Meppen, and Baumholder in West Germany and the NATO project OPAQUE (optical atmospheric quantities in Europe) stations in Europe. Supplemental data have come from various United States locations, notably Fort AP Hill in Virginia. With a few exceptions, all of these data were obtained along horizontal propagation paths. However, observations often show that there are circumstances in fog conditions when the density of the fog near ground level is not representative of conditions even a few tens of meters above the surface. This difference in density implies that slant path transmission can be significantly different from horizontal transmission at the surface.

The purposes of this report are to describe an empirical model which has been developed to describe the vertical variation of the density of fogs in central Europe, discuss some of the rationale behind the model, and point out that serious inadequacies in the data base have permitted an algorithm of limited applicability to be developed at this time.

DATA BASE

As mentioned above, there are a few exceptions to the statement that the existing data base consists of ground observations. These exceptions are several sets of measurements of fog droplet size distributions at different altitudes obtained with the use of balloon-borne particulate spectrometers. Measurements have been made on a few selected occasions in wintertime fog in Grafenwöhr and Meppen, Germany, and in April at Fort Ord, California. The Grafenwöhr data are described in an Atmospheric Sciences Laboratory (ASL) data report, and curves of calculated extinction and liquid water content (LWC) based on these measurements have been published. The Meppen measurements are not yet published, but the data from Fort Ord have been. None of these

¹D. L. Hoihjelle et al, 1976, Balloon-borne Aerosol Particle Counter Measurement Mode in Wintertime at Grafenwohr, West Germany, Data Report ECOM-DR-76-3, Atmospheric Sciences Laboratory, White Sands Missile Range, NM

²R. G. Pinnick et al, 1978, Vertical Structure in Atmospheric Fog and Haze and Its Effect on IR Extinction, ASL-TR-0010, Atmospheric Sciences Laboratory, White Sands Missile Range, NM

³R. B. Loveland et al, 1978, Atmospheric Characterization Measurements for Copperhead Ground Fog Experiment, ASL Internal Report, Atmospheric Sciences Laboratory, White Sands Missile Range, NM

blocks of data provides any comprehensive picture of the characteristics of fog as a function of altitude, and the total data are sparse enough that any claim of statistical significance is unwarranted. However, the data do clearly show one important thing: There are occasions at each location when the number density of fog droplets increases very strongly with altitude in a steady manner. Calculations of visible and infrared extinction based on these particulate spectrometer measurements show that it is not uncommon to find an increase in extinction of two orders of magnitude in the first 300 meters above the surface. Examples of extinction and LWC profiles for this kind of fog situation are shown in figures 1 and 2.

Each of the data sets above includes data from situations where shallow ground fog is present, and at some moderate altitude the top of the fog is reached and the balloon instrumentation enters clear air. This occurrence is commonly the case with ground fog or low lying patchy radiation fog. No effort has been made so far to deal with these many inhomogeneous fogs. This report addresses the case where the fog appears uniform in horizontal extent, where it has not been changing rapidly in time, and where the visibility on the ground is in the range from a few tens of meters to 3 kilometers.

DISCUSSION

One way of incorporating into a model a description of a fog such as that represented by the extinction calculations shown in figure 1 would be to assume that the logarithms of the extinction coefficient, LWC, increase linearly with altitude from some value at the surface and that the gradient (the increase in LWC with increase in altitude) is such that a change of two or three orders of magnitude can occur over a vertical distance of about 250 meters. Use of this assumption results in a profile which is a coarse approximation of some of the measured results. However, examination of profiles such as those shown in figures 1 and 2 shows that the gradient is not constant and, in fact, appears to change with LWC. For the class of fogs being discussed here, the assumption that the rate of change of extinction coefficient or LWC as a function of altitude is directly related to LWC leads to an algorithm which produces a better description of the existing measured data than does a straight linear profile approximation.

The physical basis for such an assumption can be examined. Measured data show that there are cases when the visibility on the ground is on the order of a few kilometers and that the vertical gradient is large; that is, the LWC increases rapidly with altitude so that at an altitude of 200 or 300 meters the visibility may be as low as a few tens of meters. This kind of phenomenon has been measured and is in the existing data base. If an extreme situation is examined where the LWC at the ground is extremely high (perhaps approaching 1 gram per cubic meter), the increase with altitude is not so great. The microphysics of fog droplets impose limitations that establish an upper bound on the LWC. When the fog at ground level has a density approaching this limit (when the ground visibility is a few tens of meters), then a major increase with altitude cannot be expected. In the other extreme case where LWC is low, haze conditions are being approached; and in a light haze, such strong vertical density gradients do not occur.

DEVELOPMENT OF THE ALGORITHM

The measured fog droplet size distributions were used to compute extinction coefficients at three wavelengths (0.55, 4.0, and 10 micrometers). These coefficients, together with computed LWC, are given at 20-meter-altitude increments in tables 1 through 18 (under the columns labeled MEAS) for the 18 profiles used in the development of the algorithm. Because of the limitations in the existing data base, a decision was made to develop an empirical algorithm which could be used to model these profiles. Such a model, however, can be considered valid only to the extent that it is able to represent these data.

When various procedures for developing the algorithm were being investigated, the first question to be answered was how the algorithm should function. The criteria established were that it should accept either LWC or extinction coefficient at the surface as a basic input and provide values of the variable at a desired altitude above the surface as the basic result. Four different metrics for fog density were investigated. These metrics were extinction coefficients at 0.55, 4.0, and 10 micrometers in units of kilometers $^{-1}$ and LWC in grams per cubic meter.

Early in the analysis of the data, it became apparent that the increase in fog density (as measured by any of these four metrics) through a layer of given thickness depended primarily upon the value of fog density itself. With this in mind, various procedures for expressing this change in fog density were investigated. The investigation showed that the function

$$y = ax + b, (1)$$

where $x = \log D(z)$, $y = \log D(z + 20)$, and a and b are coefficients, provided a good fit to the available data. In this equation, D(z) is the value of the fog density at altitude z, and D(z + 20) is the corresponding value at altitude z + 20 meters. The fit of equation (1) to the data is shown in figures 3, 4, 5, and 6 for the fog density metrics extinction coefficient at 0.55, 4.0, and 10 micrometers, and LWC, respectively. When these graphs were being prepared, intervals of width 0.25 in x were chosen (that is, a factor of 1.78 change in the fog density metric), and the mean values of x and y were computed and plotted for each interval. The vertical lines through the points depict one standard deviation in y. The two straight lines shown in each figure were "eyeball" fit to the data points.

A comparison of the equations obtained from the data shown in figures 3 through 6 reveals that the fitted lines for the different metrics are nearly parallel. This near parallelism suggests that the four metrics for fog density have about equal utility for describing the vertical structure of these fogs. Therefore, it is not important whether extinction at some particular wavelength or LWC is chosen as the metric D(z) for use in the model.

COMPARISON OF MEASURED AND MODELED FOG DENSITY


The sets of equations shown in figures 3 through 6 were used to model the observed fog profiles. The point of intersection of the two lines was used to determine which equation was applicable for a given calculation. (Note that for a given metric either one or both of the equations may be required for a simulated profile.) A profile is computed in a sequential process. The value of D(z) at the surface is used to obtain the value of D(z) at 20 meters; this value is then used to compute the value at 40 meters, and so on. The procedure was applied to each of the measured profiles. The results are shown in tables 1 through 18 under the column labeled MOD. A comparison of the measured and modeled values indicates excellent agreement in over half of the profiles with reasonable agreement for the others, with the exception of the profiles shown in tables 3 and 10. A closer inspection of these results reveals that when $K_{0.55}$ is used as the metric for fog density 57 percent of the time the difference between the measured and modeled value is within 25 percent of the measured value, while this difference is greater than the measured value for only 17 percent of the comparisons.

CONCLUSIONS AND RECOMMENDATIONS

The model presented herein is based upon measurements from a balloon-borne spectrometer. Since data above about 250 meters altitude were not available, the validity of the model above this altitude is unknown. In addition, the model is not applicable for patchy ground fog or horizontally inhomogeneous fogs.

Since the model has been developed from a limited data base of unknown statistical significance, the general applicability of the algorithms is unknown. However, the model does provide a representation of fog profiles which have been encountered in Germany on many occasions and, therefore, must be contended with in systems performance analysis. Moreover, the use of this model does not, in any case, lead to a result that is unreal or too extreme to be reasonably expected. What is lacking is any real sense of probability of occurrence of such fogs, extension of the model to higher altitudes, and similar algorithms to account for the shallow ground fog case. The ASL plans to obtain additional data from future field measurement programs to obtain a better understanding of this important problem area.


LIQUID WATER CONTENT (GM PER METER**3)



EXTINCTION COEFFICIENT (PER KM)

Figure 1. Vertical profile measured at Grafenwöhr, GE, on 22 Feb 76 (from reference 2).

LIQUID WATER CONTENT (GM PER METER * * 3)



EXTINCTION COEFFICIENT (PER KM)

Figure 2. Vertical profile measured at Grafenwöhr, GE, on 25 Feb 76 (from reference 2).




Figure 3. Relationship between fog density metric at altitudes z and z+20 meters. Extinction coefficient at 0.55 micrometer used as fog density metric. D(z).




Figure 4. Same as figure 3 except D(z) is extinction coefficient at 4.0 micrometers.




Figure 5. Same as figure 3 except D(z) is extinction coefficient at 10.6 micrometers.




Figure 6. Same as figure 3 except D(z) is liquid water content.

TABLE ALT	1. COMPAR	RISON OF M 55	EASURED AND K 4		PROFILES K 10	21 F	FEB 76 Ø957 LWC	
M	MEAS	MOD	MEAS	MOD	MEAS	MOD	MEAS	MOD
0 20 40 60 80 100 120 140	1.32 1.43 2.57 5.42 14.25 29.10 45.32 63.10	1.32 1.78 2.59 4.14 7.43 15.44 25.46 36.49	0.48 0.54 1.15 2.93 13.71 35.25 56.83 77.62	9.48 9.83 1.59 3.48 8.99 17.12 27.43 38.50	0.07 0.10 0.20 0.65 4.52 13.95 24.28 31.62	0.07 0.14 0.28 0.58 1.27 2.88 7.00 13.61	Ø.0009 Ø.0011 Ø.0022 Ø.0066 Ø.0304 Ø.0830 Ø.1575 Ø.2512	0.0009 0.0013 0.0020 0.0033 0.0060 0.0118 0.0260 0.0617
TABLE ALT			ASURED AND				FEB 76 1Ø3	9
M	MEAS K .	MOD	MEAS K 4	MOD	K 10 MEAS	MOD MOD	MEAS LWC	MOD
9 29 49 69 89 199 129	1.51 1.98 3.04 6.31 13.27 22.87 33.11	1.51 2.11 3.20 5.38 10.32 19.04 29.61	0.52 0.73 1.20 3.49 10.05 21.30 35.48	 Ø.52 Ø.91 1.78 3.99 9.61 18.10 28.55 	9.98 9.19 9.17 1.39 5.45 13.27 23.43	Ø.Ø8 Ø.16 Ø.32 Ø.68 1.5Ø 3.42 7.95	Ø. ØØ1 Ø Ø. ØØ14 Ø. ØØ22 Ø. ØØ94 Ø. Ø327 Ø. Ø739 Ø. 1259	Ø.ØØ1Ø Ø.ØØ15 Ø.ØØ23 Ø.ØØ39 Ø.ØØ76 Ø.Ø148 Ø.Ø336
TABLE :	3. COMPARI	SON OF ME	ASURED AND	MODELED P		_ 2	3 FEB 76 17	18
ALT M	MEAS K .!	MOD	MEAS	O MOD	K 10 MEAS	MOD	MEAS LWC	MOD
9 29 49 69 89 199 129 149 169 299 249	1.00 1.00 1.03 1.10 1.19 1.31 1.52 1.92 2.82 6.16 15.02 24.07 25.12	1.00 1.26 1.68 2.41 3.77 6.62 13.36 22.94 33.86 44.81 54.82 63.40 70.39	0.09 0.09 0.10 0.11 0.13 0.15 0.21 0.35 0.60 2.44 9.46 17.99 22.39	0.09 0.11 0.14 0.19 0.28 0.43 0.72 1.34 2.84 6.98 14.37 24.18 35.16	0.02 0.04 0.03 0.02 0.02 0.03 0.04 0.06 0.11 0.36 1.28 2.35 2.51	9.92 9.94 9.97 9.14 9.28 9.58 1.27 2.88 6.99 13.59 22.38 32.54 43.99	9.9993 9.9993 9.9994 9.9994 9.9996 9.9996 9.9998 9.9929 9.9949 9.9957 9.9973 9.9282	Ø.0003 Ø.0004 Ø.0005 Ø.0006 Ø.00088 Ø.0012 Ø.0018 Ø.0051 Ø.0051 Ø.0098 Ø.0208 Ø.0528 Ø.1013
TABLE ALT	4. COMPAR K.5		ASURED AND K 4.		PROFILES K 10.		FEB 76 Ø729 LWC	9
М	MEAS	MOD	MEAS	MOD	MEAS	MOD	MEAS	MOD
9 20 40 60 80 100 120 140 180	22.39 28.47 37.74 47.61 57.27 63.52 68.14 74.76 80.40 83.18	22.39 33.27 44.25 54.33 62.98 70.05 75.63 79.92 83.16 85.57	24.45 32.28 44.29 56.98 68.42 75.48 81.48 88.79 93.33 95.50	24.45 35.45 46.31 56.14 64.49 71.26 76.57 80.63 83.69 85.97	10.47 15.32 23.14 31.49 38.97 43.45 48.91 58.51 64.96 66.07	10.47 18.41 28.10 38.60 48.97 58.54 66.92 73.99 79.78 84.41	0.0631 0.0924 0.1395 0.1884 0.2353 0.2681 0.2984 0.3407 0.3695 0.3802	Ø. Ø631 Ø. 1148 Ø. 1746 Ø. 2341 Ø. 2876 Ø. 3316 Ø. 367Ø Ø. 3938 Ø. 4137 Ø. 4282

ALT	5. COMPARI	ISON OF I	MEASURED AND K 4.		PROFILES K 10.	6	25 FEB 76 1:	
M	MEAS	MOD	MEAS 4.	MOD	MEAS	MOD	MEAS	MOD
9 29 49 69 89 199 129	11.32 18.08 28.81 39.64 51.15 61.32 65.69 66.06	11.32 20.36 31.07 42.12 52.43 61.39 68.78 74.64	19.14 29.36 35.38 48.62 62.23 74.63 78.98 77.62	10.14 18.81 29.34 40.42 50.91 60.10 67.73 73.82	5.01 8.92 16.02 25.21 34.68 42.72 49.78 56.23	5.01 10.59 18.56 28.28 38.78 49.14 58.69 67.06	0.0316 0.0558 0.0974 0.1471 0.1967 0.2436 0.2884 0.3236	Ø.Ø316 Ø.Ø768 Ø.1244 Ø.1847 Ø.2435 Ø.2955 Ø.3384 Ø.372Ø
TABLE		RISON OF	MEASURED AN				25 FEB 76 1:	32 ø
ALT M	K.55 MEAS	MOD	MEAS K 4	. O MOD	K 10. MEAS	6 MOD	LWC MEAS	MOD
9 29 49 69 89 199 129	19.33 25.58 36.94 47.85 56.18 66.03 72.45 74.13	19.33 29.93 41.00 51.43 60.54 68.09 74.10 78.75	20.17 27.88 41.99 55.11 65.66 78.88 85.12 83.18	20.17 30.86 41.91 52.25 61.24 68.65 74.54 79.09	7.41 15.83 26.62 32.42 40.89 52.73 58.73 64.53	7.41 14.20 23.14 33.86 48.89 53.93 62.93 70.65	0.0464 0.0853 0.1347 0.1712 0.2319 0.3063 0.3397 0.3715	Ø.Ø464 Ø.Ø926 Ø.15Ø2 Ø.21Ø7 Ø.267Ø Ø.3152 Ø.354Ø Ø.3840
TABLE ALT	7. COMPAR	ISON OF	MEASURED AN			_	25 FEB 76 16	
M	MEAS				K 10.	6	LWC	
	LILLAS	MOD	MEAS	MOD	MEAS	MOD	MEAS	MOD
9 20 49 60 80 100 120 140	33.95 43.39 53.70 64.52 76.28 84.77 87.77 81.28	33.95 44.90 54.90 63.64 70.44 75.93 80.15 83.33	MEAS 39.07 50.71 62.67 73.97 87.73 99.07 102.07 91.20	39.07 49.67 59.05 66.88 73.15 78.02 81.73 84.51	MEAS 17.56 24.53 33.92 44.81 55.71 64.46 68.61 63.09	MOD 17.56 27.13 37.59 48.00 57.67 66.18 73.37 79.28	MEAS Ø.1121 Ø.15Ø5 Ø.1986 Ø.2591 Ø.3153 Ø.3666 Ø.38ØØ Ø.3631	MOD Ø.1121 Ø.1717 Ø.2314 Ø.2851 Ø.33ØØ Ø.3656 Ø.3921 Ø.4129
20 40 60 80 100 120	33.95 43.39 53.7Ø 64.52 76.28 84.77 87.77 81.28	33.95 44.90 54.90 63.64 70.44 75.93 80.15 83.33	39.07 50.71 62.67 73.97 87.73 99.07 102.07 91.20	39.07 49.67 59.05 66.88 73.15 78.02 81.73 84.51	17.56 24.53 33.92 44.81 55.71 64.46 68.61 63.Ø9	17.56 27.13 37.59 48.00 57.67 66.18 73.37 79.28	Ø.1121 Ø.15Ø5 Ø.1986 Ø.2591 Ø.3153 Ø.3666 Ø.38ØØ Ø.3631	Ø.1121 Ø.1717 Ø.2314 Ø.2851 Ø.33ØØ Ø.3656 Ø.3921 Ø.4129
20 40 60 80 100 120 140	33.95 43.39 53.7Ø 64.52 76.28 84.77 87.77 81.28	33.95 44.90 54.90 63.64 70.44 75.93 80.15 83.33	39.07 50.71 62.67 73.97 87.73 99.07 102.07 91.20	39.07 49.67 59.05 66.88 73.15 78.02 81.73 84.51	17.56 24.53 33.92 44.81 55.71 64.46 68.61 63.09	17.56 27.13 37.59 48.00 57.67 66.18 73.37 79.28	 Ø.1121 Ø.1595 Ø.1986 Ø.2591 Ø.3153 Ø.3666 Ø.38ØØ Ø.3631 	Ø.1121 Ø.1717 Ø.2314 Ø.2851 Ø.33ØØ Ø.3656 Ø.3921 Ø.4129

	E 9. COMPA	RISON OF	MEASURED A				FEB 76 Ø824	
ALT M	K.5 MEAS	MOD	MEAS K 4	.0 MOD	K 10 MEAS	.6 MOD	LWC	MOD
			112/10	1100	HEAS	MOD	MEAS	MOD
Ø 2 Ø	24.86 33.75	24.86	26.57	26.57	10.47	10.47	Ø.Ø63Ø	Ø.Ø63Ø
40	33.73 44.94	35.87 46.71	38. 0 1 51.25	37.63	18.05	18.41	Ø.1124	Ø.1147
6ø	56.38	56.49	65. Ø 2	48.35 57.91	29.46 40.97	28.10 38.60	Ø.1872	0.1745
8Ø	69.5Ø	64.78	81.41	65.95	53.39	48.97	Ø.2476 Ø.317Ø	Ø.234Ø Ø.2874
100	78.14	71.49	90.70	72.41	64.65	58.54	Ø.368Ø	Ø.3318
120	81.28	76.74	81.28	77.46	75.86	66.92	Ø.3981	Ø.367Ø
	E 10. COMP	ARISON OF	MEASURED A		PROFILES	3	MAR 78 22Ø7	
ALT		55	K 4		K 10		LWC	
М	MEAS	MOD	MEAS	MOD	MEAS	MOD	MEAS	MOD
Ø	4.40	4.40	4.48	4.48	1.25	1.25	Ø.ØØ37	Ø.ØØ 37
20	3.40	8.02	3.24	10.45	Ø. Ø5	2.83	Ø.ØØ37	Ø. ØØ67
4Ø 6Ø	2.36 2.45	17.00	1.93	19.21	Ø.44	6.90	Ø.ØØ38	0.0135
8Ø	2.45 8.79	27.28 38.36	2. Ø4 11.35	29.80	Ø.45	13.46	Ø.Ø223	Ø.Ø3Ø4
100	25.47	49.02	34.57	40.87 51.31	2.97 11 <i>.</i> 22	22.22 32.37	Ø.Ø8Ø8	Ø.Ø689
120	48.83	58.49	64.45	6Ø.45	25.20	42.91	Ø.2Ø65 Ø.3255	Ø.1221 Ø.1822
140	66.03	66.42	85.26	68.01	37.71	53.02	Ø.3464	Ø.2412
160	68.73	72.79	86.75	74.04	44.34	62.13	Ø.3974	Ø.2936
18Ø	77.60	77.74	94.04	78.71	56.37	69.98	Ø.4Ø12	Ø.3368
2 00	96.2Ø	81.52	96.Ø8	82.25	58. Ø 2	76.52	0.4100	Ø-37Ø8
			MEASURED A				MAR 78 2235	
ALT	κ.	55	K 4	. ()	K 10.	6	LWC	
M	MFAS							MOD
М	MEAS	MOD	MEAS	MOD	MEAS	MOD	MEAS	MOD
Ø	MEAS 5.55	MOD 5.55	MEAS 6.22	MOD 6.22	MEAS 1.35	MOD 1.35	MEAS Ø.Ø133	MOD Ø.Ø133
ø 20	MEAS 5.55 6.21	MOD 5.55 10.72	MEAS 6.22 7. 0 5	MOD 6.22 13.23	MEAS 1.35 1.65	MOD 1.35 3. 0 7	MEAS Ø.Ø133 Ø.Ø138	Ø.Ø133 Ø.Ø298
Ø 2Ø 4Ø	MEAS 5.55 6.21 8.38	MOD 5.55 10.72 19.58	MEAS 6.22 7.05 9.76	MOD 6.22 13.23 22.78	MEAS 1.35 1.65 3. 0 8	MOD 1.35 3.07 7.33	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347	Ø.Ø133 Ø.Ø298 Ø.Ø679
Ø 2Ø 4Ø 6Ø	MEAS 5.55 6.21 8.38 18.83	MOD 5.55 10.72 19.58 30.21	MEAS 6.22 7.05 9.76 24.03	MOD 6.22 13.23 22.78 33.68	MEAS 1.35 1.65 3.08 9.67	MOD 1.35 3.07 7.33 14.09	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8
Ø 2Ø 4Ø 6Ø 8Ø	MEAS 5.55 6.21 8.38 18.83 42.91	5.55 10.72 19.58 30.21 41.28	MEAS 6.22 7.05 9.76 24.03 55.97	MOD 6.22 13.23 22.78 33.68 44.64	MEAS 1.35 1.65 3.08 9.67 24.73	MOD 1.35 3.07 7.33 14.09 23.00	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9
Ø 2Ø 4Ø 6Ø 8Ø 1ØØ 12Ø	MEAS 5.55 6.21 8.38 18.83	5.55 10.72 19.58 30.21 41.28 51.68	MEAS 6.22 7.05 9.76 24.03 55.97 84.76	MOD 6.22 13.23 22.78 33.68 44.64 54.68	MEAS 1.35 1.65 3.08 9.67 24.73 42.29	MOD 1.35 3.07 7.33 14.09 23.00 33.21	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ
9 29 49 69 89 199 129	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37	MOD 6.22 13.23 22.78 33.68 44.64	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02	MOD 1.35 3.07 7.33 14.09 23.00	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ
9 29 49 69 89 199 129 149	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.25 74.23	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ
9 29 49 69 89 199 129 149 169	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.25 74.23 78.86	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484 0.6218	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2400 Ø.2925 Ø.3360 Ø.3701 Ø.3962
9 29 49 69 89 199 129 149	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.25 74.23	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2400 Ø.2925 Ø.3360 Ø.3701
9 29 49 69 89 199 129 149 169 209	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484 0.6218	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2400 Ø.2925 Ø.3360 Ø.3701 Ø.3962
Ø 20 40 60 80 100 120 140 160 200	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484 0.6218 0.6843	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2400 Ø.2925 Ø.3360 Ø.3701 Ø.3962
Ø 20 40 60 80 100 120 140 160 180 200 TABL	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10.	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484 0.6218 0.6843 MAR 78 2309 LWC	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156
Ø 20 40 60 80 100 120 140 160 180 200 TABL	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 1Ø1.11 1Ø8.86 113.17 E 12. COMP/ K.5	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A K 4. MEAS	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98	MEAS 0.0133 0.0138 0.0347 0.0727 0.1798 0.3082 0.3947 0.4660 0.5484 0.6218 0.6843	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2400 Ø.2925 Ø.3360 Ø.3701 Ø.3962
Ø 20 40 60 80 100 120 140 160 180 200 TABL ALT M	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A K 4. MEAS 4.38	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69	MEAS Ø. Ø133 Ø. Ø138 Ø. Ø1347 Ø. Ø727 Ø. 1798 Ø. 3082 Ø. 3947 Ø. 4660 Ø. 5484 Ø. 6218 Ø. 6843 MAR 78 23Ø9 LWC MEAS Ø. Ø059	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156 MOD Ø.ØØ59
20 40 60 80 100 120 140 160 180 200 TABL ALT M	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A K 4. MEAS 4.38 3.44	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69 1.52	MEAS Ø. Ø133 Ø. Ø138 Ø. Ø347 Ø. Ø727 Ø. 1798 Ø. 3082 Ø. 3947 Ø. 466Ø Ø. 5484 Ø. 6218 Ø. 6843 MAR 78 23Ø9 LWC MEAS Ø. Ø059 Ø. Ø047	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2925 Ø.3360 Ø.3701 Ø.3962 Ø.4156 MOD Ø.0059 Ø.0116
20 40 60 80 100 120 140 160 180 200 TABL ALT M	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45 2.96	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A K 4. MEAS 4.38 3.44 2.73	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 MOD 0.69 1.52 3.47	MEAS Ø. Ø133 Ø. Ø138 Ø. Ø347 Ø. Ø727 Ø. 1798 Ø. 3082 Ø. 3947 Ø. 466Ø Ø. 5484 Ø. 6218 Ø. 6843 MAR 78 23Ø9 LWC MEAS Ø. Ø059 Ø. Ø047 Ø. Ø045	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2925 Ø.3360 Ø.3701 Ø.3962 Ø.4156 MOD Ø.0059 Ø.0116 Ø.0254
20 40 60 80 100 120 140 160 180 200 TABL ALT M	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45	5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A K 4. MEAS 4.38 3.44 2.73 4.65	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99 29.55	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 MOD 0.69 1.52 3.47 8.03	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.466Ø Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø104	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2925 Ø.3360 Ø.3701 Ø.3962 Ø.4156 MOD Ø.0059 Ø.0116 Ø.0254 Ø.0667
20 40 60 80 120 140 160 180 200 TABL 200 ALT M 20 40 60 80 100	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMP/ K .5 MEAS 4.10 3.45 2.96 4.38 11.76 29.33	MOD 5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20 36.22 47.04	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A MEAS 4.38 3.44 2.73 4.65 14.77 38.51	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32 5.53	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 MOD 0.69 1.52 3.47 8.03 15.09	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.466Ø Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø1Ø4 Ø.Ø4Ø9	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156 MOD Ø.Ø59 Ø.Ø116 Ø.Ø254 Ø.Ø667 Ø.1117
20 40 60 80 120 140 160 180 TABL 20 40 60 80 100 120	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45 2.96 4.38 11.76 29.33 51.71	MOD 5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20 36.22 47.04 56.78	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A MEAS 4.38 3.44 2.73 4.65 14.77 38.51 67.57	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99 29.55 40.63 51.09 60.26	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32 5.53 15.40 28.32	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69 1.52 3.47 8.03 15.09 24.21 34.51	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.466Ø Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø104	Ø.0133 Ø.0298 Ø.0679 Ø.1208 Ø.1809 Ø.2925 Ø.3360 Ø.3701 Ø.3962 Ø.4156 MOD Ø.0059 Ø.0116 Ø.0254 Ø.0667
20 40 60 100 120 140 160 180 TABL 20 TABL 40 80 100 120 140	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45 2.96 4.38 11.76 29.33 51.71 70.74	MOD 5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20 36.22 47.04 56.78 65.01	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A MEAS 4.38 3.44 2.73 4.65 14.77 38.51 67.57 89.20	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99 29.55 40.63 51.09 60.26 67.86	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32 5.53 15.40 28.32 43.22	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69 1.52 3.47 8.03 15.09 24.21 34.51 45.03	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.466Ø Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø104 Ø.Ø1096 Ø.1096 Ø.1096 Ø.1970 Ø.298Ø	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156 MOD Ø.Ø667 Ø.Ø1164 Ø.Ø667 Ø.1117 Ø.2544 Ø.2544 Ø.2544 Ø.2544 Ø.2544
20 40 60 10 12 14 16 18 10 10 10 10 10 10 10 10 10 10 10 10 10	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMP/ K .5 MEAS 4.10 3.45 2.96 4.38 11.76 29.33 51.71 70.74 82.41	MOD 5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20 36.22 47.04 56.78 65.01 71.68	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A MEAS 4.38 3.44 2.73 4.65 14.77 38.51 67.57 89.20 100.17	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99 29.55 40.63 51.09 60.26 67.86 73.92	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32 5.53 15.40 28.32 43.22 56.66	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69 1.52 3.47 8.03 15.09 24.21 34.51 45.03 54.97	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.4660 Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø194 Ø.Ø196 Ø.1096 Ø.1096 Ø.1970 Ø.2980 Ø.39Ø0	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.24ØØ Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156 MOD Ø.Ø667 Ø.1117 Ø.2544 Ø.Ø667 Ø.1117 Ø.2848 Ø.3297
20 40 60 100 120 140 160 180 TABL 20 TABL 40 80 100 120 140	MEAS 5.55 6.21 8.38 18.83 42.91 66.46 78.96 89.69 101.11 108.86 113.17 E 12. COMPA K .5 MEAS 4.10 3.45 2.96 4.38 11.76 29.33 51.71 70.74	MOD 5.55 10.72 19.58 30.21 41.28 51.68 60.75 68.26 74.23 78.86 82.36 ARISON OF MOD 4.10 7.34 15.22 25.20 36.22 47.04 56.78 65.01	MEAS 6.22 7.05 9.76 24.03 55.97 84.76 97.37 107.91 119.91 127.56 131.24 MEASURED A MEAS 4.38 3.44 2.73 4.65 14.77 38.51 67.57 89.20	MOD 6.22 13.23 22.78 33.68 44.64 54.68 63.27 70.29 75.81 80.06 83.27 ND MODELED 0 MOD 4.38 10.28 18.99 29.55 40.63 51.09 60.26 67.86	MEAS 1.35 1.65 3.08 9.67 24.73 42.29 55.02 65.86 77.86 88.24 91.48 PROFILES K 10. MEAS 0.69 0.54 0.53 1.32 5.53 15.40 28.32 43.22	MOD 1.35 3.07 7.33 14.09 23.00 33.21 43.74 53.79 62.81 70.55 76.98 3 6 MOD 0.69 1.52 3.47 8.03 15.09 24.21 34.51 45.03	MEAS Ø.Ø133 Ø.Ø138 Ø.Ø347 Ø.Ø727 Ø.1798 Ø.3082 Ø.3947 Ø.466Ø Ø.5484 Ø.6218 Ø.6843 MAR 78 23Ø9 LWC MEAS Ø.Ø059 Ø.Ø047 Ø.Ø045 Ø.Ø104 Ø.Ø1096 Ø.1096 Ø.1096 Ø.1970 Ø.298Ø	Ø.Ø133 Ø.Ø298 Ø.Ø679 Ø.12Ø8 Ø.18Ø9 Ø.2925 Ø.336Ø Ø.37Ø1 Ø.3962 Ø.4156 MOD Ø.Ø667 Ø.Ø1164 Ø.Ø667 Ø.1117 Ø.2544 Ø.2544 Ø.2544 Ø.2544 Ø.2544

TABL ALT M	E 13. COMI K. MEAS		MEASURED / K 4 MEAS		D PROFILES K 10 MEAS		MAR 78 2345 LWC MEAS	5 Mod
9 29 49 69 89 199 129 149 169	29.55 19.53 18.86 24.73 40.54 58.42 71.43 82.12 94.56 106.79	29.55 40.63 51.09 60.26 67.86 73.92 78.61 82.18 84.85 86.82	28.14 36.68 25.67 33.37 53.22 74.07 88.19 107.77 129.07	28.14 39.22 49.81 59.17 66.97 73.22 78.08 81.78 84.55 86.60	8.80 8.36 8.12 11.76 26.60 45.04 53.73 61.44 75.00 87.90	8.80 16.16 25.48 35.87 46.35 56.17 64.88 72.29 78.40 83.32	Ø. Ø656 Ø. Ø629 Ø. Ø616 Ø. Ø871 Ø. 1634 Ø. 2641 Ø. 3739 Ø. 4774 Ø. 5474	Ø.Ø656 Ø.118Ø Ø.1779 Ø.2372 Ø.29Ø2 Ø.3341 Ø.3687 Ø.3951 Ø.4146 Ø.4289
TABL ALT	E 14. COMF	PARISON OF	MEASURED A				1AR 78 ØØ25	
M	MEAS K .	MOD	MEAS K 4	MOD	K 10 MEAS	MOD	LWC MEAS	MOD
9 29 40 60 80 190 120 140 160 180 200	30.66 32.74 31.79 30.58 36.38 49.38 65.10 79.96 89.14 92.10 91.05	30.66 41.72 52.08 61.09 68.53 74.45 79.02 82.48 85.07 86.99 88.39	41.39 43.55 42.47 41.47 48.61 63.84 81.87 98.53 108.07 109.93 108.06	41.39 51.78 60.84 68.33 74.29 78.90 82.39 85.00 86.94 88.35 89.39	15.85 18.03 17.10 15.41 19.58 30.04 43.84 58.87 70.13 75.70 73.18	15.85 25.12 35.48 45.97 55.83 64.59 72.05 78.20 83.16 87.08 90.15	Ø.1163 Ø.1315 Ø.1249 Ø.118Ø Ø.1418 Ø.2139 Ø.3Ø94 Ø.4156 Ø.496Ø Ø.5343 Ø.5311	9.1163 9.1762 9.2356 9.2887 9.3325 9.3678 9.3944 9.4142 9.4286 9.4389 9.4464
TABL	E 15. COMP				PROFILES	4 M	AR 78 Ø158	
ALT M	MEAS K .	MOD	K 4. MEAS	O MOD	K 10. MEAS	.6 MOD	LWC MEAS	MOD
9 29 49 69 89 199 129 149 169 299	22.82 37.60 47.93 54.04 60.89 64.46 68.61 77.68 87.52 98.20 116.35	22.82 33.73 44.68 54.72 63.31 70.31 75.83 80.08 83.28 85.66 87.42	30.29 49.39 62.31 69.41 77.65 81.79 86.16 96.02 106.87 118.48 128.06	30.29 41.36 51.75 60.82 68.31 74.27 78.89 82.38 85.00 86.93 88.35	11.51 22.59 30.82 35.64 40.64 43.67 48.34 57.67 66.85 76.71 95.23	11.51 19.76 29.64 40.17 50.46 59.87 68.06 74.93 80.54 85.02 88.54	0.0845 0.1660 0.2263 0.2609 0.2958 0.3168 0.3505 0.4165 0.4783 0.5432 0.6103	Ø. Ø845 Ø. 14Ø9 Ø. 2014 Ø. 2588 Ø. 3082 Ø. 3486 Ø. 3799 Ø. 4034 Ø. 42Ø7 Ø. 4333 Ø. 4424

TABLE				ND MODELED			IAR 78 Ø523	
ALT M	K .5! MEAS	MOD	K 4 MEAS	.O MOD	K 10. MEAS	6 MOD	LWC MEAS	MOD
rı	MLAS	טטויו	LICAS	MOD	MENS	טטויו	MEAS	טטויז
Ø	33.21	33.21	43.47	43.47	19.37	19.37	Ø.1356	Ø.1356
20	5 ø. 53	44.19	64.12	53.64	33.71	29.20	Ø.2323	Ø.1961
4Ø	79.Ø3	54.28	96.63	62.41	6 0. 33	39.72	Ø.4164	Ø.254Ø
6 0	91.47	62.94	109.48	69.59	74.27	5Ø.Ø3	0.5178	Ø.3Ø43
80	84.11	70.02	100.71	75.28	68.38	59.49	Ø.4821	Ø.3454
100	73.33	75.61	89.Ø6	79.65	58.Ø1	67.74	Ø.4133	Ø.3774
120 140	68. 00 68.22	79.9Ø 83.15	83.43 83.86	82 . 96 85.42	52.82 52.74	74.67	Ø.3794	Ø.4Ø16 Ø.4194
160	69.77	85.56	85.74	87.24	53.58	8 0. 32 84.58	Ø.38Ø4 Ø.3876	Ø.4194 Ø.4324
180	70.47	87.35	86.63	88.58	53.56	88.4Ø	Ø.3888	Ø.4417
200	70.49	88.65	86.63	89.55	53.29	91.17	Ø.3892	Ø.4483
	, , , , ,	00.00	30.00	03.03	33.23	31117	p.3032	µ 03
TABLE	17 00404	IDICON OF	MERCUDED A	ND 140051 50	000574.50		WAR 70 4400	
				ND MODELED			MAR 78 Ø629	
ALT M	K .5 MEAS	o MOD	K 4 MEAS	MOD	K 10. MEAS	MOD	LWC MEAS	MOD
13	FILAS	PIQU	MEAS	MOD	MENO	מטויז	MEMS	MOD
Ø	38.34	38.34	50.51	50.51	19.39	19.39	Ø.1369	Ø.1369
2 0	36.43	49. 00	48.20	59.76	18.1Ø	29.22	Ø.1281	Ø.1975
40	39.79	58.47	51.88	67.46	21.48	39.74	Ø.1515	7.2552
6Ø	45.26	66.41	57.88	73.6Ø	27.01	5 Ø.Ø 5	Ø.1897	0.3053
8 ø	47.55	72.78	6 Ø. 49	78.37	29.28	59.51	0.2055	0.3452
100	46.79	77.74	59.93	82.00	28.13	67.75	Ø.1979	Ø.378Ø
120	44.63	81.52	57.75	84.71	25.8Ø	74.68	Ø.1821	0.4021
14Ø 16Ø	43.21 42.47	84.35 86.46	56.15 55.15	86.72	24.53	80.33	Ø.1735	Ø.4198
18Ø	43.44	88.00	56.11	88.19 89.27	24.Ø7 24.94	84.85 88.41	Ø.17Ø5 Ø.1672	0.4 326 0.4 418
100	43.44	00.pp	30.11	03.27	24 • 34	00.71	p. 1072	p.4410
	E 18. COMP K .5	PARISON OF		AND MODELE			MAR 78 Ø759	
ALT M	MEAS N.S	MOD	K 4. MEAS	. U MOD	K 10. MEAS		LWC	MOD
141	MENS	טטויו	MEAS	טטמו	MEAS	MOD	MEAS	MOD
Ø	1.48	1.48	Ø.51	Ø.51	0.0 8	Ø.Ø 8	0.0009	0.0009
2 0	1.38	2.06	Ø.48	Ø.89	Ø. Ø8	Ø.16	0.0009	0.0013
40	1.43	3.1ø	Ø.67	1.73	Ø.1Ø	Ø.32	Ø.ØØ11	0.0020
6 Ø	3.40	5.17	3.45	3.86	Ø.51	Ø.68	Ø.ØØ45	Ø.ØØ33
80	6.11	9.82	7.41	10.09	1.09	1.50	Ø.ØØ93	0.0060
100	10.10	18.38	12.37	18.75	3.56	3.42	Ø. Ø259	Ø.Ø118
120	16.5Ø	28.87	2 0. 86	29.27	7.12	7.95	Ø.Ø5Ø1	0.0260
140 160	22.91 27.72	39.95 5 0.4 7	3 0. 27 36.93	4 0. 35 5 0. 84	9.34 11.44	14.98 24.07	Ø.Ø671 Ø.Ø845	Ø.Ø617 Ø.113Ø
18Ø	29.5Ø	59.73	38.76	5ø.04 6ø.ø5	8.41	34.37	Ø.Ø623	Ø.1127
100	23.5p	23.73	50.70	00.00	0.71	34.3/	P. POC 3	p. 1/2/

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center ATTN: ES-83 (Otha H. Vaughan, Jr.) Huntsville, AL 35812

NASA/Marshall Space Flight Center Atmospheric Sciences Division ATTN: Code ES-81 (Dr. William W. Vaughan) Huntsville, AL 35812

Nichols Research Corporation ATTN: Dr. Lary W. Pinkley 4040 South Memorial Parkway Huntsville, AL 35802

John M. Hobbie c/o Kentron International 2003 Byrd Spring Road Huntsville, AL 35802

Mr. Ray Baker Lockheed-Missile & Space Company 4800 Bradford Blvd Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

US Army Intelligence Center & School ATTN: ATSI-CD-CS (Mr. Richard G. Cundy) Fort Huachuca, AZ 85613

Commander

US Army Intelligence Center & School ATTN: ATSI-CD-MD (Mr. Harry Wilder) Fort Huachuca, AZ 85613

Commander

US Army Intelligence Center & School ATTN: ATSI-CS-C (2LT Coffman) Fort Huachuca, AZ 85613

Commander

US Army Yuma Proving Ground ATTN: STEYP-MSA-TL Bldg 2105 Yuma, AZ 85364

Northrop Corporation Electro-Mechanical Division ATTN: Dr. Richard D. Tooley 500 East Orangethorpe Avenue Anaheim, CA 92801

Commander

Naval Weapons Center ATTN: Code 3918 (Dr. Alexis Shlanta) China Lake, CA 93555

Hughes Helicopters Army Advanced Attack Helicopter Weapons ATTN: Mr. Charles R. Hill Centinela and Teale Streets Bldg 305, MS T-73A Culter City, CA 90230

Commander

US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, ⋅CA 93941

SRI International ATTN: K2060/Dr. Edward E. Uthe 333 Ravenswood Avenue Menlo Park, CA 94025 SRI International ATTN: Mr. J. E. Van der Laan 333 Ravenswood Avenue Menlo Park, CA 94025

Joane May Naval Environmental Prediction Research Facility (NEPRF) ATTN: Library Monterey, CA 93940

Sylvania Systems Group, Western Division GTE Products Corporation ATTN: Technical Reports Library P.O. Box 205 Mountain View, CA 94042

Sylvania Systems Group Western Division GTE Products Corporation ATTN: Mr. Lee W. Carrier P.O. Box 188 Mountain View, CA 94042

Pacific Missile Test Center Geophysics Division ATTN: Code 3253 Point Mugu, CA 93042

Pacific Missile Test Center Geophysics Division ATTN: Code 3253 (Terry E. Battalino) Point Mugu, CA 93042

Effects Technology Inc. ATTN: Mr. John D. Carlyle 5383 Hollister Avenue Santa Barbara, CA 93111

Commander

Naval Ocean Systems Center ATTN: Code 532 (Dr. Juergen Richter) San Diego, CA 92152

Commander

Naval Ocean Systems Center ATTN: Code 5322 (Mr. Herbert G. Hughes) San Diego, CA 92152 Commander Naval Ocean Systems Center ATTN: Code 4473 (Tech Library) San Diego, CA 92152

The RAND Corporation ATTN: Ralph Huschke 1700 Main Street Santa Monica, CA 90406

Particle Measuring Systems, Inc. ATTN: Dr. Robert G. Knollenberg 1855 South 57th Court Boulder, CO 80301

US Department of Commerce National Oceanic and Atmospheric Admin Environmental Research Laboratories ATTN: Library, R-51, Technical Reports 325 Broadway Boulder, CO 80303

US Department of Commerce National Oceanic and Atmospheric Admin Environmental Research Laboratories ATTN: R45X3 (Dr. Vernon E. Derr) Boulder, CO 80303

US Department of Commerce National Telecommunications and Information Administration Institute for Telecommunication Sciences ATTN: Code 1-3426 (Dr. Hans J. Liebe) Boulder, CO 80303

AFATL/DLODL Technical Library Eglin AFB, FL 32542

Commanding Officer Naval Training Equipment Center ATTN: Technical Information Center Orlando, FL 32813

Georgia Institute of Technology Engineering Experiment Station ATTN: Dr. Robert W. McMillan Atlanta, GA 30332 Georgia Institute of Technology Engineering Experiment Station ATTN: Dr. James C. Wiltse Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-0
Fort Gordon, GA 30905

USAFETAC/DNE ATTN: Mr. Charles Glauber Scott AFB, IL 62225

Commander Air Weather Service ATTN: AWS/DNDP (LTC Kit G. Cottrell) Scott AFB, IL 62225

Commander Air Weather Service ATTN: AWS/DOOF (MAJ Robert Wright) Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATTICA-SAN (Robert DeKinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
A Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

US Army Combined Arms Center & Ft. Leavenworth

ATTN: ATZLCA-WE (LTC Darrell Holland) Fort Leavenworth, KS 66027

President **USAARE NBD**

ATTN: ATZK-AE-TA (Dr. Charles R. Leake) ATTN: DRDAR-BLB (Mr. Richard McGee) Fort Knox, KY 40121

Commander

US Army Armor Center and Fort Knox

ATTN: ATZK-CD-MS Fort Knox, KY 40121

Commander

US Army Armor Center and Fort Knox

ATTN: ATZK-CD-SD Fort Knox, KY 40121

Aerodyne Research Inc. ATTN: Dr. John F. Ebersole

Crosby Drive Bedford, MA 01730

Commander

Air Force Geophysics Laboratory ATTN: OPA (Dr. Robert W. Fenn) Hanscom AFB, MA 01731

Commander

Air Force Geophysics Laboratory

ATTN: OPI (Dr. Robert A. McClatchey)

Hanscom AFB, MA 01731

Massachusetts Institute of Technology Lincoln Laboratory

ATTN: Dr. T. J. Goblick, B-370

P.O. Box 73

Lexington, MA 02173

Massachusetts Institute of Technology

Lincoln Laboratory

ATTN: Dr. Michael Gruber

P.O. Box 73

Lexington, MA 02173

Raytheon Company Equipment Division ATTN: Dr. Charles M. Sonnenschein 430 Boston Post Road

Commander

US Army Ballistic Research Laboratory/

ARRADCOM

Wavland, MA 01778

Aberdeen Proving Ground, MD 21005

Commander/Director

Chemical Systems Laboratory US Army Armament Research

& Development Command

ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)

Aberdeen Proving Ground, MD 21010

Commander/Director

Chemical Systems Laboratory US Army Armament Research

& Development Command

ATTN: DRDAR-CLB-PS (Mr. Juseph Vervier) Aberdeen Proving Ground, MD 21010

Commander/Director

Chemical Systems Laboratory

US Army Armament Research

& Development Command

ATTN: DRDAR-CLY-A (Mr. Ronnald Pennsyle)

Aberdeen Proving Ground, MD 21010

Commander

US Army Ballistic Research Laboratory/

ARRADCOM

ATTN: DRDAR-TSB-S (STINFO)

Aberdeen Proving Ground, MD 21005

Commander

US Army Electronics Research

& Development Command

ATTN: DRDEL-CCM (W. H. Pepper)

Adelphi, MD 20783

Commander

US Army Electronics Research

& Development Command

ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS

2800 Powder Mill Road

Adelphi, MD 20783

US Army Electronics Research & Development Command ATTN: DRDEL-CT 2800 Powder Mill Road Adelphi, MD 20783

Commander

US Army Electronics Research & Development Command ATTN: DRDEL-PAO (Mr. Steven Kimmel) 2800 Powder Mill Road Adelphi, MD 20783

Project Manager Smoke/Obscurants ATTN: DRDPM-SMK

(Dr. Anthony Van de Wal, Jr.) Aberdeen Proving Ground, MD 21005

Project Manager Smoke/Obscurants

ATTN: DRDPM-SMK-T (Mr. Sidney Gerard) Aberdeen Proving Ground, MD 21005

Commander

US Army Test & Evaluation Command ATTN: DRSTE-AD-M (Mr. Warren M. Baity) Aberdeen Proving Ground, MD 21005

Commander

US Army Test & Evaluation Command ATTN: DRSTE-AD-M (Dr. Norman E. Pentz) Aberdeen Proving Ground, MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-AAM (Mr. William Smith) Aberdeen Proving Ground, MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-CS (Mr. Philip H. Beavers) Aberdeen Proving Ground, MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-GB (Wilbur L. Warfield) Aberdeen Proving Ground, MD 21005 Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-GP (Mr. Fred Campbell) Aberdeen Proving Ground, MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-GS

(Mr. Michael Starks/Mr. Julian Chernick)
Aberdeen Proving Ground. MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-J (Mr James F. O'Bryon) Aberdeen Proving Ground, MD 21005

Director

US Army Materiel Systems Analysis Activity ATTN: DRXSY-LM (Mr. Robert M. Marchetti) Aberdeen Proving Ground, MD 21005

Commander

Harry Diamond Laboratories ATTN: Dr. William W. Carter 2800 Powder Mill Road Adelphi, MD 20783

Commander

Harry Diamond Laboratories ATTN: DELHD-R-CM (Mr. Robert McCoskey) 2800 Powder Mill Road Adelphi, MD 20783

Commander

Harry Diamond Laboratories ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey) 2800 Powder Mill Road Adelphi, MD 20783

Commander

Harry Diamond Laboratories ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay) 2800 Powder Mill Road Adelphi, MD 20783

Commander

Harry Diamond Laboratories ATTN: DELHD-R-CM-NM (Dr. Joseph Nemarich) 2800 Powder Mill Road Adelphi, MD 20783

Air Force Systems Command

ATTN: WER (Mr. Richard F. Picanso)

Andrews AFB, MD 20334

Martin Marietta Laboratories

ATTN: Jar Mo Chen 1450 South Rolling Road Baltimore, MD 21227

Commander

US Army Concepts Analysis Agency

ATTN: CSCA-SMC (Mr. Hal E. Hock)

8120 Woodmont Avenue

Bethesda, MD 20014

Director

National Security Agency

ATTN: R52/Dr. Douglas Woods

Fort George G. Meade, MD 20755

Chief

Intelligence Materiel Development

& Support Office

US Army Electronic Warfare Laboratory

ATTN: DELEW-I (LTC Kenneth E. Thomas)

Fort George G. Meade, MD 20755

The John Hopkins University Applied Physics Laboratory

ATTN: Dr. Michael J. Lun

John Hopkins Road

Laurell, MD 20810

Dr. Stephen T. Hanley

1720 Rhodesia Avenue Oxon Hill, MD 20022

Science Applications Inc. ATTN: Mr. G. D. Currie

15 Research Drive Ann Arbor, MI 48103

Science Applications Inc.

ATTN: Dr. Robert E. Turner

15 Research Drive

Ann Arbor, MI 48103

Commander

US Army Tank-Automotive Research

& Development Command

ATTN: DRDTA-ZSC (Mr. Harry Young)

Warren, MI 48090

Commander

US Army Tank Automotive Research

& Development Command

ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)

Warren, MI 48090

Dr. A. D. Belmont

Research Division

Control Data Corporation

P.O. Box 1249

Minneapolis, MN 55440

Director

US Army Engr Waterways Experiment Station

ATTN: WESEN (Mr. James Mason)

P.O. Box 631

Vicksburg, MS 39180

Commander

US Army Research Office

ATTN: DRXRO-GS (Dr. Leo Alpert)

P.O. Box 12211

Research Triangle Park, NC 27709

Commander

US Army Research Office

ATTN: DRXRO-PP (Brenda Mann)

P.O. Box 12211

Research Triangle Park, NC 27709

Commander

US Army Cold Regions Research

& Engineering Laboratory

ATTN: CRREL-RD (Dr. K. F. Sterrett)

Hanover, NH 03755

Commander/Director

US Army Cold Regions Research

& Engineering Laboratory ATTN: CRREL-RG (Mr. George Aitken)

Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager for Navy/USMC SAL GP ATTN: DRCPM-CAWS-NV (CPT Joseph Miceli) Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-PE (Mr. Ben A. Di Campli)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-R-S (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager FIREFINDER/REMBASS ATTN: DRCPM-FFR-TM (Mr. John M. Bialo) Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

OLA, 2WS (MAC) Holloman AFB, NM 88330

Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE (MAJ John R. Elrick)
Kirtland, AFB, NM 87117

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL (Dolores Anguiano)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director

USA TRADOC Systems Analysis Activity ATTN: ATAA-TGP (Mr. Roger F. Willis) White Sands Missile Range, NM 88002

Director

Office of Missile Electronic Warfare ATTN: DELEW-M-STO (Dr. Steven Kovel) White Sands Missile Range, NM 88002

Office of the Test Director Joint Services EO GW CM Test Program ATTN: DRXDE-TD (Mr. Weldon Findley) White Sands Missile Range, NM 88002

Commander

US Army White Sands Missile Range ATTN: STEWS-PT-AL (Laurel B. Saunders) White Sands Missile Range, NM 88002

Commander

US Army R&D Coordinator US Embassy - Bonn Box 165 APO New York 09080

Grumman Aerospace Corporation Research Department - MS A08-35 ATTN: John E. A. Selby Bethpage, NY 11714

Rome Air Development Center ATTN: Documents Library TSLD (Bette Smith) Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin Faculty of Arts and Science Dept. of Applied Science 26-36 Stuyvesant Street New York, NY 10003

Air Force Wright Aeronautical Laboratories/ Avionics Laboratory ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher) Wright-Patterson AFB, OH 45433 Air Force Wright Aeronautical Laboratories/ Avionics Laboratory ATTN: AFWAL/AARI-3 (CPT William C. Smith) Wright-Patterson AFB, OH 45433

Commandant

US Army Field Artillery School ATTN: ATSF-CF-R (CPT James M. Watson) Fort Sill, OK 73503

Commandant

US Army Field Artillery School ATTN: ATSF-CD-MS Fort Sill, OK 73503

Commandant

US Army Field Artillery School ATTN: ATSF-CF-R Fort Sill, OK 73503

Commandant

US Army Field Artillery School ATTN: NOAA Liaison Officer (CDR Jeffrey G. Carlen) Fort Sill, OK 73503

Commandant

US Army Field Artillery School Morris Swett Library ATTN: Reference Librarian Fort Sill, OK 73503

Commander

Naval Air Development Center ATTN: Code 301 (Mr. George F. Eck) Warminster, PA 18974

The University of Texas at El Paso Electrical Engineering Department ATTN: Dr. Joseph H. Pierluissi El Paso, TX 79968

Commandant

US Army Air Defense School ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn) Fort Bliss, TX 79916

HQ, TRADOC Cobmined Arms Test Activity ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.) Fort Hood, TX 76544

Commander

HQ, TRADOC Combined Arms Test Activity ATTN: ATCAT-SCI (Dr. Darrell W. Collier) Fort Hood, TX 76544

Commander

US Army Dugway Proving Ground ATTN: STEDP-MT-DA-L Dugway, UT 84022

Commander

US Army Dugway Proving Ground ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson) Dugway, UT 84022

Commander

US Army Dugway Proving Ground ATTN: STEDP-MT-DA-T (Mr. John Trethewey) Dugway, UT 84022

Commander

US Army Dugway Proving Ground ATTN: STEDP-MT-DA-T (Mr. William Peterson) Dugway, UT 84022

Defense Documentation Center ATTN: DDC-TCA Cameron Station Bldg 5 Alexandria, VA 22314 12

Ballistic Missile Defense Program Office ATTN: DACS-BMT (Colonel Harry F. Ennis) 5001 Eisenhower Avenue Alexandria, VA 22333

Defense Technical Information Center ATTN: DDA-2 (Mr. James E. Shafer) Cameron Station, Bldg 5 Alexandria, VA 22314 Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCBSI-EE (Mr. Albert Giambalvo)

5001 Eisenhower Avenue Alexandria, VA 22333

Commander

US Army Materiel Development & Readiness Command ATTN: DRCLDC (Mr. James Bender) 5001 Eisenhower Avenue Alexandria, VA 22333

Defense Advanced Rsch Projects Agency ATTN: Steve Zakanyez 1400 Wilson Blvd Arlington, VA 22209

Defense Advanced Rsch Projects Agency ATTN: Dr. James Tegnelia 1400 Wilson Blvd Arlington, VA 22209

Institute for Defense Analyses ATTN: Mr. Lucien M. Biberman 400 Army-Navy Drive Arlington, VA 22202

Institute for Defense Analyses ATTN: Dr. Ernest Bauer 400 Army-Navy Drive Arlington, VA 22202

Institute of Defense Analyses ATTN: Dr. Hans G. Wolfhard 400 Army-Navy Drive Arlingon, VA 22202

System Planning Corporation ATTN: Mr. Daniel Friedman 1500 Wilson Boulevard Arlington, VA 22209

System Planning Corporation ATTN: COL Hank Shelton 1500 Wilson Boulevard Arlington, VA 22209 US Army Intelligence & Security Command ATTN: Edwin Speakman, Scientific Advisor Arlington Hall Station Arlington, VA 22212

Commander
US Army Operational Test
& Evaluation Agency
ATTN: CSTE-ED (Mr. Floyd I. Hill)
5600 Columbia Pike
Falls Church, VA 22041

Commander and Director
US Army Engineer Topographic Laboratories
ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNY-L (Dr. Rudolf G. Buser)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNY-L (Dr. Robert S. Rodhe)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Joseph R. Moulton)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNY-VI (Luanne P. Obert)
Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNY-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Lahoratory
ATTN: DELNY-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNY-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force OL-I, AWS Fort Monroe, VA 23651

Department of the Air Force HQS 5 Weather Wing (MAC) ATTN: 5 WW/DN Langley Air Force Base, VA 23655 Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation ATTN: Dr. Ralph Zirkind 7655 Old Springhouse Road McLean, VA 22102

Science Applications, Inc. 8400 Westpark Drive ATTN: Dr. John E. Cockayne McLean, VA 22102

US Army Nuclear & Chemical Agency ATTN: MONA-WE (Dr. John A. Berberet) 7500 Backlick Road, Bldg 2073 Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./ Dr. Herbert K. Fallin) Rm 2E 614, Pentagon Washington, DC 20301

COL Elbert W. Friday, Jr. OUSDRE Rm 3D 129, Pentagon Washington, DC 20301

Defense Communications Agency Technical Library Center Code 222 Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency ATTN: DT/AC (LTC Robert Poplawski) Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame) Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck) Washington, DC 20310

Department of the Army Deputy Chief of Staff for Operations and Plans ATTN: DAMO-RQ Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army Assistant Chief of Staff for Intelligence ATTN: DAMI-TS Washington, DC 20310 HQDA (DAEN-RDM/Dr. de Percin) Casimir Pulaski Building 20 Massachusetts Avenue Room 6203 Washington, DC 20314

National Science Foundation Division of Atmospheric Sciences ATTN: Dr. Eugene W. Bierly 1800 G. Street, N.W. Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer Naval Research Laboratory ATTN: Code 6533 (Dr. James A. Dowling) Washington, DC 20375

ATMOSPHERIC SCIENCES RESEARCH PAPERS

- Lindberg, J.D., "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
- Avara, Elton, P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
- Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
- Blanco, A.J., and B.F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
- 5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
- Walters, D.L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
- 7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
- 8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
- 9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS GOES Film Data," ECOM-5573, September 1975.
- Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO2 Variability," ECOM-5574, September 1975.
- 11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
- Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
- Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
- 14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.
- Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, N.M," ECOM-5579, November 1975.
- Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
- 17 Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
- Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
- Gillespie, Patti S., R.L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO2 Absorption of the Ho^{+±}YLF Laser at 2.05μm," ECOM-5583, December 1975.
- 20. Novlan, David J. "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
- 21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
- 22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
- Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
- 24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.

- Barnett, Kenneth M., "A Description of the Artillery McCorological Communicons at White Sands Missle Range, October 1974 - Describer 1974 CPASS' Prototype Artiflery [Meteorological] Sansy term," In OMS589, April 1976
- Miller, Walter B., "Preimmary Analysis of Falls of Shot From Project TASS"," & OM 5590, April 1976.
- Avara, Elton P., "Error Analysis of Minimum Information and Sciences Methods for Inverting the Ra hative Transfer Equation," ECOM 1591, April 1976.
- 28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.
- Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VIPR Observations," ECOM-5593, May 1976.
- Miers, Bruce T., and Steve Weaver. "Applications of Meterological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
- Sharenow, Moses, "Redesign and Improvement of Balloon ML 566," ECOM-5595, June, 1976.
- Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
- 33. Pinnick, R.G., and E.B. Stenmark, "Response Calculations for a Commercial Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
- 34. Mason, J., and G.B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
- 35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
- 36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
- 37. Taylor, F., P. Mohan, P. Joseph and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
- Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
- 39. Duncan, Louis D., and Mary Ann. Seagraves,"Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
- 40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
- 41. Miller, Walter, and Bernard Engebos," A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November, 1976.
- Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 to 3.0 μm Using a Cary 171 Spectrophotometer," ECOM-5806, November 1976.
- 43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption, "ECOM-5807, November 1976.
- 44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.
- 45. Monahan, H.H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
- 46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
- 47. Low, Richard D.H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
- 48 Bonner, Robert S., and R. Newton, "Application of the AN GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
- 49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
- Low, Richard D.H., and J.D. Horn, "Mesoscale Determination of Cloud-Lop Height: Problems and Solutions," ECOM-5814, March 1977.

- 51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
- Randhawa, Jagir S., M. Izquierdo, Carlos McDonald and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Strateom VI-A Flight," ECOM-5816, April 1977.
- 53. Rubio, Roberto, and Mike Liquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM 5817, May 1977
- 54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977
- Mitchell, J.D., R.S. Sagar, and R.O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
- 56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Jorgson. "Solid-State Laser Wavelength Identification Using a Reference Absorber." ECOM-5820, June 1977.
- 57 Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.
- Taylor, S.E., J.M. Davis, and J.B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.
- Duncan, Louis D. and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
- 60. Smider, D.E., D.G. Murcray, F.H. Murcray, and W.J. Williams, "Investigation of High-Altitude Enhanced Infrared Backround Emissions" (U), SECRET, ECOM-5824, June 1977.
- 61. Dubbin, Marvin H. and Dennis Hall, "Synchronous Meteorlogical Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
- 62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
- 63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atomspheric Parameters," ECOM-5827, July 1977
- 64. Duncan, Louis D., "Zemith Angle Variation of Satellite Thermal Sounder Measurements," ECOM 5828, August 1977.
- 65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
- 66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
- 67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
- 68. Ethridge, G.A. and F.V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
- Low, Richard D.H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM 5833, December 1977.
- Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM 5834, December 1977.
- Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
- 72. Monahan, H.H. and R.M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL TR 0001, January 1978
- 73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL TR 0002, March 1978.

- 74. Jennings, S.G., and J.B. Gillespie, "M.I.E. Theory Sensitivity Studies The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
- 75. White, Kenneth O. et al, "Water Vapor Continuum Absorption in the 3.5 m to 4.0 m Region," ASL-TR-0004, March 1978.
- 76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
- 77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.
- 78. Watkins, Wendell R. et al, "Water Vapor Absorption Coefficients at HF Laser Wave-
- lengths," ASL-TR-0007, May 1978.

 79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
- 80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.
- 81. Pinnick, R.G. et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.
- 82. Low, Richard D.H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
- 83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978. 84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
- Blanco, Abel J., "Long-Range Artillery Sound Ranging: "PASS" Meteorological Application," ASL-TR-0014, September 1978.
- 86. Heaps, M.G., and F.E. Niles, "Modeling the Ion Chemistry of the D-Region: A case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September
- 87. Jennings, S.G., and R.G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths, "ASL-TR-0016, September 1978.
- 88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
- Miller, W.B., and B.F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978
- 90. Gomez, Richard G., "Effectiveness Studies of the CBU-88-B Bomb, Cluster, Smoke Weapon" (U), CONFIDENTIAL ASL-TR-0019, September 1978.
- 91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November, 1978.
- 92. Lindberg, James D. et al., "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths. Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979
- Kennedy, Bruce W., Arthur Kinghorn, and B.R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL/TR-0022, February 1979.
- Rubio, Roberto, and Don Hoock, "Microwave Effective Earth Radius Factor Vari ability at Wiesbaden and Balboa," ASL TR-0023, February 1979.
- 95. Low, Richard D.H., "A Theoretical Investigation of Cloud Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.

- Pinnick, R.G., and H.J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
- Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026 February 1979
- Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
- Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.
- 100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
- 101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
- 102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
- 103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
- 104. Barber, T.L., and R. Rodgriquez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
- 105. Low, Richard D.H., Louis D. Duncan, and Y.Y. Roger R. Hsiao, "Microphysical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.
- 106. Rodriguez, Ruben, and William J. Vechione, "Evaluation of the Saturation Resistant Crosswind Sensor," ASL-TR-0035, July 1979.

 107. Ohmstede, William D., "The Dynamics of Material Layers," ASL-TR-0036, July 1979.
- 108. Pinnick, R.G., S.G. Jennings, Petr Chylek, and H.J. Auvermann "Relationships between IR Extinction, Absorption, and Liquid Water Content of Fogs," ASL-TR-0037, August 1979.
- 109. Rodriguez, Ruben, and William J. Vechione, "Performance Evaluation of the Optical Crosswind Profiler," ASL-TR-0038, August 1979.
- 110. Miers, Bruce T., "Precipitation Estimation Using Satellite Data" ASL-TR-0039, September
- 111. Dickson, David H., and Charles M. Sonnenschein, "Helicopter Remote Wind Sensor System Description," ASL-TR-0040, September 1979.
- 112. Heaps, Melvin, G., and Joseph M. Heimerl, "Validation of the Dairchem Code, I: Quiet Midlatitude Conditions," ASL-TR-0041, September 1979.
- 113. Bonner, Robert S., and William J. Lentz, "The Visioceilometer: A Portable Cloud Height and Visibility Indicator," ASL-TR-0042, October 1979.
- 114. Cohn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.
- 115. Fawbush, E.J. et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979
- 116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979
- 117. Low, Richard D.H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979
- 118 Duncan, Louis D. et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation, ASL-TR-0047, December 1979.
- Shirkey, R. C. et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979,
- 1.0 Kobayashi, H.K., "Atmospheric Effects on Millimeter Radio Waves," ASL/TR-0049, January 1980,
- 121 Seagraves, Mary Ann and Duncan, Louis D., "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February, 1980.

- 122 Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.
- 123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.
- 124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicolas Island, California," ASL-TR-0053, April 1980.
- 125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.
- 126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.
- 127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.
- 128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.
- 129. Kennedy, Bruce W., et al, "Dusty Infrared Test-II (DIRT-II) Program," ASL-TR-0058, May 1980.
- 130. Heaps, Melvin G., Roberts O. Olsen, Warren Berning, John Cross, and Arthur Gifcrease, "1979 Solar Eclipse, Part I- Atmospheric Sciences Laboratory Field Program Summary," ASL-TR-0059, May 1980.
- 131. Miller, Walter B., "User's Guide for Passive Target Acquisition Program Two (PTAP-2)," ASL-TR-0060, June 1980.
- 132. Holt, E. H., H. M. Monahan, and E. J. Fawbush, "Atmospheric Data Requirements for Battlefield Obscuration Applications," ASL-TR-0061, June 1980.
- 133.Shirkey, Richard C., August Miller, George H. Goedecke, and Yugal Behl, "Single Scattering Code AGAUSX: Theory, Applications, Comparisons, and Listing," ASL—TR-0062, July 1980.
- 134. Sojka, Brain Z., and Kenneth O. White, "Evaluation of Specialized Photoacoustic Absorption Chambers for Near-millimeter Wave (NMMW) Propagation Measurements," ASL-TR-0063, August 1980.
- 135. Bruce, Charles W., Young Paul Yee, and S. G. Jennings, "In Situ Measurement of the Ratio of Aerosol Absorption to Extinction Coefficient," ASL-TR-0064, August 1980.
- 136. Yee, Young Paul, Charles W. Bruce, and Ralph J. Brewer, "Gaseous/Particulate Absorption Studies at WSMR using Laser Sourced Spectrophones," ASL-TR-0065, June 1980.
- 137. Lindberg, James D., Radon B. Loveland, Melvin Heaps, James B. Gillespie, and Andrew F.Lewis, "Battlefield Dust and Atmospheric Characterization Measurements During West German Summertime Conditions in Support of Grafenwohr Tests," ASL-TR-0066, September 1980.
- 138. Vechione, W. J., "Evaluation of the Environmental Instruments, Incorporated Series 200 Dual Component Wind Set," ASL-TR-0067, September 1980.
- 139. Bruce, C. W., Y. P. Yee, B. D. Hinds, R. G. Pinnick, R. J. Brewer, and J. Minjares, "Initial Field Measurements of Atmospheric Absorption at 9PM to 11PM Wavelengths, "ASL-TR-0068, October 1980.
- 140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, E. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part II Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.
- 141. Low. Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and their Optical Properties," ASL-TR-0070, October 1980.
- 142. Duncan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.